





2006 Louisiana Health and Population Survey Survey Report January 30, 2007

Washington Parish









Project Overview

Hurricanes Katrina (August 29, 2005) and Rita (September 23, 2005) caused extensive damage and displacement across southern Louisiana. This displacement has created great uncertainty about the population size, demographics and health status within Louisiana. As recovery progresses, timely and accurate population estimates are critical to guide decision-makers across all sectors in effective planning and efficient resource allocation.

In February 2006, the Louisiana Department of Health and Hospitals and the Louisiana Recovery Authority requested assistance from the Centers for Disease Control and Prevention/Agency for Toxic Substances and Disease Registry and the U.S. Census Bureau to:

- Estimate the population size and collect health and economic information in 18 hurricane-affected parishes
- Compare survey-based population estimates with modeled estimates
- Develop a sustainable survey program to provide continuous population estimates as requested by federal, state and local authorities

To fulfill these objectives, the 2006 Louisiana Health and Population Survey was conducted to provide state and local authorities with accurate demographic, health and economic information for public health, emergency preparedness and economic development planning. The Louisiana Public Health Institute was contracted to implement the process, oversee daily survey operations, and deliver the data.

Surveys were received from Washington Parish between August and November 2006.

| Household Survey Population Estimate | 42,731 | (+/-) 9.5% Margin of Error |
|--------------------------------------|--------|----------------------------|
| Group Quarters Population* | 1,683 | |

^{*} Group Quarters population is based on modeled projections, for further citation contact popest-la@lphi.org.

<u>Washington Parish Survey Results</u> (Note that some counts and percentages may not total equally due to rounding.)

| Population/Demographics Total Household Population | Estimated Count 42,731 | Estimated Percent | Margin of Error (+/-) ¹ 9.5 | U.S. Census 2000 42,139 |
|--|------------------------------|----------------------|--|-------------------------------|
| Gender Composition | | | | |
| Male | 20,161 | 47.2 | 1.9 | 21,441 |
| Female | 22,113 | 51.7 | 1.9 | 22,485 |
| Not Indicated | 457 | 1.1 | 0.6 | 0 |
| Age Cohort | | | | |
| Under 5 years | 2,162 | 5.1 | 1.5 | 3,158 |
| 5 to 9 years | 3,126 | 7.3 | 1.4 | 3,238 |
| 10 to 14 years | 3,133 | 7.3 | 1.2 | 3,235 |
| 15 to 19 years | 3,649 | 8.5 | 1.7 | 3,389 |
| 20 to 24 years | 2,602 | 6.1 | 1.6 | 2,930 |
| 25 to 34 years | 5,307 | 12.4 | 2.1 | 5,347 |
| 35 to 44 years | 4,763 | 11.1 | 1.6 | 6,389 |
| 45 to 54 years | 5,417 | 12.7 | 2.1 | 5,726 |
| 55 to 64 years | 6,042 | 14.1 | 2.0 | 4,222 |
| 65 to 74 years | 3,677 | 8.6 | 2.4 | 3,345 |
| 75 to 84 years | 1,892 | 4.4 | 1.2 | 2,238 |
| 85 years and over | 892 | 2.1 | 0.8 | 709 |
| Not Indicated | 70 | 0.2 | 0.2 | N/A |

| Racial/Ethnic Composition | Estimated Count | Estimated Percent | Margin of Error (+/-) | U.S. Census 2000 |
|--|--------------------|----------------------|--------------------------|---------------------|
| White only | 29,232 | 68.4 | 4.8 | 29,614 |
| Black only | 11,926 | 27.9 | 5.0 | 13,851 |
| Asian only | 0 | 0 | 0 | 73 |
| American Indian, Alaska Native only | 310 | 0.7 | 0.7 | 100 |
| Native Hawaiian, Other Pacific Islander only | 41 | 0.1 | 0.2 | 1 |
| Multiracial | 144 | 0.3 | 0.4 | 239 |
| Other race or no race selected | 1,079 | 2.5 | 1.7 | 48 |

| Spanish, Hispanic, Latino Origin | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|-------------------------------------|--------------------|----------------------|--------------------------|
| Not Indicated | 1,398 | 3.3 | 1.6 |
| Latino | 1,071 | 2.5 | 2.0 |
| Not Latino | 40,262 | 94.2 | 3.0 |
| Total | 42,731 | 100.0 | |

¹ Margin of error calculated at 90% confidence.

| | Spanish, Hispanic, Latino Origin | | | Not of Sp | anish, Hispaı Origin | nic, Latino |
|--|----------------------------------|----------------------|--------------------------|--------------------|-------------------------|--------------------------|
| Race of Those Indicating Spanish, Hispanic, Latino Origin or Not Not Indicated* | Estimated Count | Estimated Percent | Margin of Error (+/-) | Estimated Count | Estimated Percent | Margin of Error (+/-) |
| White only | 380 | 0.9 | 0.6 | 28,170 | 65.9 | 5.1 |
| Black only | 255 | 0.6 | 0.6 | 11,372 | 26.6 | 4.9 |
| Asian only American Indian, Alaska | 0 | 0 | 0 | 0 | 0 | 0 |
| Native only | 0 | 0 | 0 | 310 | 0.7 | 0.7 |
| Native Hawaiian, Other Pacific Islander only | 0 | 0 | 0 | 41 | 0.1 | 0.2 |
| Multiracial | 0 | 0 | 0 | 144 | 0.3 | 0.4 |
| Other race or no race | | | | | | |
| selected | 437 | 1.0 | 1.5 | 225 | 0.5 | 0.6 |
| Total | 1,071 | 2.5 | 2.0 | 40,262 | 94.2 | 3.0 |

* **Not Indicated** (composed of both individuals of Spanish, Hispanic, Latino Origin and individuals not of Spanish, Hispanic, Latino Origin): Estimated Count 1,395; Estimated Percent 3.3; Margin of Error (+/-) 1.6

HOUSEHOLD INDICATORS

| Number of Individuals per Household | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|--|--------------------|----------------------|--------------------------|
| 1 person | 3,669 | 22.4 | 3.3 |
| 2 people | 5,758 | 35.2 | 4.5 |
| 3 people | 3,056 | 18.7 | 3.4 |
| 4 people | 2,245 | 13.7 | 4.0 |
| 5 people | 971 | 5.9 | 2.1 |
| 6 people | 285 | 1.7 | 1.2 |
| 7 people | 323 | 2.0 | 1.2 |
| 8 people | 71 | 0.4 | 0.5 |
| Total | 16,378 | 100.0 | |

| Rent/Own Dwelling | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|-------------------|--------------------|----------------------|--------------------------|
| Not Indicated | 436 | 2.7 | 2.0 |
| Rent | 2,494 | 15.2 | 3.8 |
| Own | 13,449 | 82.1 | 4.1 |
| Total | 16,378 | 100.0 | |

INCOME INDICATORS

| Household Income | Estimated Count | Estimated Percent | Margin of Error (+/-) | U.S. Census 2000 |
|------------------------|--------------------|----------------------|--------------------------|---------------------|
| Not Indicated | 5,672 | 34.6 | 5.7 | 0 |
| Less than \$10,000 | 1,117 | 6.8 | 1.8 | 3,411 |
| \$10,000 to \$14,999 | 1,934 | 11.8 | 2.5 | 1,769 |
| \$15,000 to \$24,999 | 2,344 | 14.3 | 3.7 | 3,246 |
| \$25,000 to \$34,999 | 1,363 | 8.3 | 2.4 | 2,536 |
| \$35,000 to \$49,999 | 1,723 | 10.5 | 3.0 | 2,058 |
| \$50,000 to \$74,999 | 1,189 | 7.3 | 2.2 | 2,110 |
| \$75,000 to \$99,999 | 536 | 3.3 | 1.5 | 771 |
| \$100,000 to \$149,999 | 364 | 2.2 | 1.5 | 384 |
| \$150,000 to \$199,999 | 65 | 0.4 | 0.5 | 79 |
| \$200,000 or more | 71 | 0.4 | 0.5 | 90 |
| Total | 16,378 | 100.0 | | 16,454 |

| Household Poverty Level | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|--------------------------|--------------------|----------------------|--------------------------|
| Not Indicated | 5,672 | 34.6 | 5.7 |
| Below 50% poverty level | 440 | 2.7 | 1.3 |
| 50%-100% poverty level | 2,462 | 15.0 | 3.1 |
| 100%-200% poverty level | 3,422 | 20.9 | 4.3 |
| Above 200% poverty level | 4,383 | 26.8 | 4.5 |
| Total | 16,378 | 100.0 | |

| | Not Indicated | | | Below | v 50% povert | y level |
|------------------------------------|--------------------|----------------------|--------------------------|--------------------|----------------------|--------------------------|
| Individual Poverty Level by Age | Estimated Count | Estimated Percent | Margin of Error (+/-) | Estimated Count | Estimated Percent | Margin of Error (+/-) |
| Not Indicated | 70 | 0.2 | 0.2 | 0 | 0 | 0 |
| 0-4 years | 919 | 2.1 | 1.1 | 144 | 0.3 | 0.4 |
| 5-17 years | 2,359 | 5.5 | 1.6 | 346 | 0.8 | 0.7 |
| 18-44 years | 3,747 | 8.8 | 2.0 | 564 | 1.3 | 0.8 |
| 45-64 years | 4,623 | 10.8 | 2.6 | 106 | 0.2 | 0.2 |
| 65+ years | 2,652 | 6.2 | 1.8 | 74 | 0.2 | 0.2 |
| Total | 14,370 | 33.6 | 5.6 | 1,233 | 2.9 | 1.6 |

50%-100% poverty level

100%-200% poverty level

| Individual Poverty Level by Age (Continued) | Estimated Count | Estimated Percent | Margin of Error (+/-) | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|--|--------------------|----------------------|--------------------------|--------------------|----------------------|--------------------------|
| Not Indicated | 0 | 0 | 0 | 0 | 0 | 0 |
| 0-4 years | 318 | 0.7 | 0.6 | 593 | 1.4 | 0.6 |
| 5-17 years | 2,160 | 5.1 | 2.0 | 2,163 | 5.1 | 1.6 |
| 18-44 years | 2,252 | 5.3 | 1.5 | 3,648 | 8.5 | 2.2 |
| 45-64 years | 1,524 | 3.6 | 1.4 | 1,863 | 4.4 | 1.2 |
| 65+ years | 887 | 2.1 | 0.9 | 1,265 | 3.0 | 1.1 |
| Total | 7,142 | 16.7 | 3.9 | 9,532 | 22.3 | 4.9 |

5

Above 200% poverty level

Total

| Individual Poverty Level by Age (Continued) | Estimated Count | Estimated Percent | Margin of Error (+/-) | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|--|--------------------|----------------------|--------------------------|--------------------|----------------------|--------------------------|
| Not Indicated | 0 | 0 | 0 | 70 | 0.2 | 0.2 |
| 0-4 years | 188 | 0.4 | 0.3 | 2,162 | 5.1 | 1.5 |
| 5-17 years | 1,790 | 4.2 | 1.6 | 8,818 | 20.6 | 2.4 |
| 18-44 years | 3,551 | 8.3 | 2.7 | 13,762 | 32.2 | 2.7 |
| 45-64 years | 3,343 | 7.8 | 2.1 | 11,459 | 26.8 | 3.1 |
| 65+ years | 1,583 | 3.7 | 1.3 | 6,461 | 15.1 | 3.1 |
| Total | 10,454 | 24.5 | 5.0 | 42,731 | 100.0 | |

Was Any Household Income

| Earned in Past Month or Year? | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|----------------------------------|--------------------|----------------------|--------------------------|
| Not Indicated | 0 | 0 | 0 |
| No | 311 | 1.9 | 1.1 |
| Yes | 16,068 | 98.1 | 1.1 |
| Total | 16,378 | 100.0 | |

Household Income in Past

| Month Compared to Household Income Same Month Last Year | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Not Indicated | 602 | 3.7 | 1.8 |
| Same income | 7,024 | 42.9 | 5.7 |
| More income | 3,050 | 18.6 | 3.8 |
| Less income | 3,253 | 19.9 | 3.6 |
| Refused | 1,454 | 8.9 | 4.8 |
| Don't know | 994 | 6.1 | 2.6 |
| Total | 16,378 | 100.0 | |

EDUCATION INDICATORS

| School Attendance During Past 6 Months (Aged 3 years and older) | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Not Indicated | 997 | 2.4 | 1.2 |
| No school attended | 30,324 | 72.9 | 3.1 |
| Home schooled | 56 | 0.1 | 0.2 |
| Yes, public school or college | 9,101 | 21.9 | 3.1 |
| Yes, private school or college | 1,130 | 2.7 | 1.0 |
| Total | 41,608 | 100.0 | |

| Grade or Level Attending (Aged 3 years and older) | Estimated Count | Estimated Percent | Margin of Error (+/-) | U.S. Census 2000 |
|--|--------------------|----------------------|--------------------------|---------------------|
| Not Indicated | 887 | 7.9 | 4.4 | 0 |
| Nursery or preschool | 490 | 4.3 | 2.2 | 668 |
| Kindergarten | 567 | 5.0 | 2.7 | 677 |
| Grade 1 to 4 | 2,495 | 22.1 | 4.6 | 2,733 |
| Grade 5 to 8 | 2,522 | 22.4 | 4.5 | 2,712 |
| Grade 9 to 12 | 3,358 | 29.8 | 5.7 | 2,916 |
| College | 738 | 6.5 | 2.3 | 1,041 |
| Graduate or professional | 226 | 2.0 | 1.4 | 221 |
| Total | 11,284 | 100.0 | | 10,968 |

| Highest Degree or Level Completed (Aged 25 years and older) | Estimated Count | Estimated Percent | Margin of Error (+/-) | U.S. Census 2000 |
|---|--------------------|----------------------|--------------------------|---------------------|
| Not Indicated | 1,426 | 5.0 | 2.0 | 0 |
| No school completed | 183 | 0.6 | 0.5 | 3,018 |
| Less than high school | 4,456 | 15.7 | 3.6 | 5,865 |
| High school graduate/GED | 11,924 | 42.1 | 3.6 | 11,227 |
| Some college or associates | 6,289 | 22.2 | 3.7 | 4,789 |
| Bachelors degree | 2,289 | 8.1 | 2.3 | 1,842 |
| Some or completed | | | | 1 010 |
| graduate/professional | 1,444 | 5.1 | 1.3 | 1,213 |
| Refused | 46 | 0.2 | 0.3 | 0 |
| Don't know | 283 | 1.0 | 0.7 | 0 |
| Total | 28,340 | 100.0 | | 27,954 |

HOUSING INDICATORS

| Housing Prior to 2005 Hurricanes | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|-------------------------------------|--------------------|----------------------|--------------------------|
| Not Indicated | 435 | 1.0 | 0.6 |
| Same House | 32,707 | 76.5 | 4.4 |
| Different House | 9,590 | 22.4 | 4.4 |
| Total | 42,731 | 100.0 | |

| Change in Residence due to Damaged Housing | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Yes | 3,608 | 37.6 | 11.4 |
| No | 5,981 | 62.4 | 11.4 |
| Total | 9,590 | 100.0 | |

| Change in Residence due to Job Opportunities | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Yes | 427 | 4.5 | 2.9 |
| No | 9,162 | 95.5 | 2.9 |
| Total | 9,590 | 100.0 | |

| Change in Residence due to Loss of Job | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|--|--------------------|----------------------|--------------------------|
| Yes | 700 | 7.3 | 7.3 |
| No | 8,889 | 92.7 | 7.3 |
| Total | 9,590 | 100.0 | |

| Change in Residence due to Other Circumstances | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Yes | 3,925 | 40.9 | 13.7 |
| No | 5,664 | 59.1 | 13.7 |
| Total | 9,590 | 100.0 | |

EMPLOYMENT INDICATOR

| Employment Status – Aged 16 Years and Older | Estimated Count | Estimated Percent | Margin of Error (+/-) | U.S. Census 2000 |
|--|--------------------|----------------------|--------------------------|---------------------|
| Not Indicated | 860 | 2.6 | 1.2 | 0 |
| Employed | 12,727 | 37.9 | 3.9 | 15,047 |
| Self-Employed | 2,825 | 8.4 | 2.1 | 13,047 |
| Out of Work > 1 Year | 770 | 2.3 | 0.9 | 1,334 |
| Out of Work < 1 Year | 1,177 | 3.5 | 0.8 | 1,004 |
| Homemaker/Caregiver | 2,083 | 6.2 | 1.5 | |
| Student | 2,122 | 6.3 | 1.5 | 17,124 |
| Retired | 6,707 | 20.0 | 2.8 | 17,124 |
| Unable to Work | 4,248 | 12.6 | 2.4 | |
| Refused | 0 | 0 | 0 | 0 |
| Don't Know | 97 | 0.3 | 0.3 | 0 |
| Total | 33,616 | 100.0 | | 33,505 |

HEALTH INSURANCE INDICATORS

| Health Insurance Coverage | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|-----------------------------|--------------------|----------------------|--------------------------|
| Not Indicated | 783 | 1.8 | 0.8 |
| Private only | 17,003 | 39.8 | 5.6 |
| Medicare only | 3,717 | 8.7 | 1.9 |
| Medicaid only | 6,072 | 14.2 | 3.2 |
| Uninsured | 8,400 | 19.7 | 3.6 |
| Other or multiple insurance | 6,757 | 15.8 | 2.8 |
| Total | 42,731 | 100.0 | |

| Length of Time Without Health Coverage | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Not Indicated | 583 | 6.9 | 5.7 |
| 6 months or less | 520 | 6.2 | 3.3 |
| > 6 months <= 1 year | 828 | 9.9 | 3.8 |
| > 1 year and <= 3 years | 1,346 | 16.0 | 4.6 |
| more than 3 years | 4,560 | 54.3 | 7.5 |
| Refused | 107 | 1.3 | 1.5 |
| Don't know | 455 | 5.4 | 3.2 |
| Total | 8,400 | 100.0 | |

| Lack of Coverage Due to 2005 Hurricanes | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Not Indicated | 1,077 | 12.8 | 5.9 |
| yes | 721 | 8.6 | 4.5 |
| no | 6,601 | 78.6 | 7.9 |
| Total | 8,400 | 100.0 | |

HEALTH INDICATORS

| Ever Diagnosed with Diabetes - Aged 16 years and older | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|--|--------------------|----------------------|--------------------------|
| Not Indicated | 778 | 2.3 | 1.2 |
| Yes, was told has diabetes | 4,669 | 13.9 | 2.2 |
| Yes, told at pregnancy | 75 | 0.2 | 0.3 |
| Pre or borderline diabetic | 352 | 1.0 | 0.7 |
| No diabetes | 27,577 | 82.0 | 2.6 |
| Refused | 0 | 0 | 0 |
| Don't know | 165 | 0.5 | 0.6 |
| Total | 33,616 | 100.0 | |

| Ever Diagnosed with High Blood Pressure - Aged 16 years and older | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Not Indicated | 248 | 0.7 | 0.5 |
| Yes, was told has HBP | 12,016 | 35.7 | 3.5 |
| Yes, told at pregnancy | 231 | 0.7 | 0.5 |
| Pre or borderline HBP | 285 | 0.8 | 0.6 |
| No HBP | 20,548 | 61.1 | 3.9 |
| Refused | 0 | 0 | 0 |
| Don't know | 288 | 0.9 | 0.9 |
| Total | 33,616 | 100.0 | |

| Ever Diagnosed with Angina or Coronary Heart Disease - Aged 16 years and older | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|--|--------------------|----------------------|--------------------------|
| Not Indicated | 404 | 1.2 | 0.7 |
| Yes | 3,468 | 10.3 | 2.1 |
| No | 29,669 | 88.3 | 2.2 |
| Refused | 0 | 0 | 0 |
| Don't know | 75 | 0.2 | 0.4 |
| Total | 33,616 | 100.0 | |

| Ever Diagnosed with Asthma - Aged 16 and older | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Not Indicated | 443 | 1.3 | 0.7 |
| Yes | 3,725 | 11.1 | 2.3 |
| No | 29,239 | 87.0 | 2.4 |
| Refused | 0 | 0 | 0 |
| Don't know | 209 | 0.6 | 0.5 |
| Total | 33,616 | 100.0 | |

Ever Diagnosed with a Heart Attack or Myocardial

| Attack or Myocardial Infarction - Aged 16 years and older | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Not Indicated | 349 | 1.0 | 0.6 |
| Yes | 2,271 | 6.8 | 1.6 |
| No | 30,923 | 92.0 | 1.7 |
| Refused | 0 | 0 | 0 |
| Don't know | 73 | 0.2 | 0.3 |
| Total | 33,616 | 100.0 | |

Ever Diagnosed with a

| Stroke - Aged 16 years and older | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|----------------------------------|--------------------|----------------------|--------------------------|
| Not Indicated | 404 | 1.2 | 0.7 |
| Yes | 1,606 | 4.8 | 1.4 |
| No | 31,568 | 93.9 | 1.7 |
| Refused | 0 | 0 | 0 |
| Don't know | 38 | 0.1 | 0.2 |
| Total | 33,616 | 100.0 | |

| Usual Place for Health Care Prior to the 2005 Hurricanes | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|---|--------------------|----------------------|--------------------------|
| Not Indicated | 968 | 2.9 | 1.3 |
| Nowhere | 2,356 | 7.0 | 2.3 |
| Clinic/health center | 7,145 | 21.3 | 4.2 |
| Doctors office/HMO | 18,303 | 54.4 | 6.4 |
| Hospital emergency room | 2,502 | 7.4 | 2.3 |
| Hospital outpatient clinic | 1,392 | 4.1 | 1.7 |
| Other place | 165 | 0.5 | 0.4 |
| More than 1 place | 171 | 0.5 | 0.6 |
| Refused | 0 | 0 | 0 |
| Don't know | 613 | 1.8 | 1.0 |
| Total | 33,616 | 100.0 | |

| Usual Place for Health Care After 2005 Hurricanes | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|--|--------------------|----------------------|--------------------------|
| Not Indicated | 1,162 | 3.5 | 1.4 |
| Nowhere | 2,498 | 7.4 | 2.4 |
| Clinic/health center | 7,086 | 21.1 | 4.0 |
| Doctors office/HMO | 17,977 | 53.5 | 6.2 |
| Hospital emergency room | 2,558 | 7.6 | 2.3 |
| Hospital outpatient clinic | 1,456 | 4.3 | 1.6 |
| Other place | 180 | 0.5 | 0.4 |
| More than 1 place | 171 | 0.5 | 0.6 |
| Refused | 0 | 0 | 0 |
| Don't know | 527 | 1.6 | 0.9 |
| Total | 33,616 | 100.0 | |

Mental Health Indicator -

| Assessment only of Head of Household | Estimated Count | Estimated Percent | Margin of Error (+/-) |
|--|--------------------|----------------------|--------------------------|
| Not Indicated | 281 | 1.7 | 1.0 |
| Serious mental health condition indicated by score | | | |
| (Score ≥ 13) | 1,835 | 11.2 | 2.3 |
| Score 0 - 12 | 14,262 | 87.1 | 2.5 |
| Total | 16,378 | 100.0 | |

The serious psychological distress scale (K6) is a six-item scale developed to measure serious mental illness. The K6 was only asked of head of households 18 years of age and older. The answers were self-reported and no proxies were allowed. The K6 is designed to identify persons with serious psychological distress using as few questions as possible. While a score of \geq 13 indicates a serious mental health condition, the answers provided by the respondent do not represent an actual clinical diagnosis. The questions used and interpretation of the responses can be found at http://origin.cdc.gov/nchs/datawh/nchsdefs/seriouspsydistress.htm.

SOURCE: Health, United States

The above tables present the results of an initial analysis of the survey data. A comprehensive final report for all parishes will be produced when the project is completed and all parish specific reports are released. Reports may also be available for specific characteristics. To download a

copy of the survey questionnaire, make a data request, and to submit feedback, please visit <u>www.popest.org</u>.

NOTE: The 2006 Louisiana Health and Population Survey uses a standard U.S. Census Bureau method to estimate population size and demographics with modifications to account for the affects of the 2005 hurricane season. For details about the survey methodology, please visit <u>www.popest.org</u>.

<u>Contact Information</u> Louisiana Department of Health and Hospitals Media and Communications Baton Rouge, Louisiana Phone (225) 342-1532, Fax (225) 342-3738 www.dhh.louisiana.gov

Louisiana Recovery Authority Baton Rouge, Louisiana Phone (225) 342-1790, Fax (225) 338-5364 www.lra.louisiana.gov

Louisiana Public Health Institute New Orleans, Louisiana Phone (504) 301-9800, Fax (504) 301-9801 www.lphi.org

Centers for Disease Control and Prevention Agency for Toxic Substances and Disease Registry Media Relations Atlanta, Georgia (404)639-0070 http://www.cdc.gov/od/oc/media/index.htm